

## SIEVE

Code : S



- Used to determine the particle size distribution (grading) of fine and coarse materials (aggregates, soil ... etc.) for particles larger than 75  $\mu\text{m}$
- The results are used to determine compliance of the particle size distribution with applicable specification requirements and to provide necessary data for control of the production of various aggregate products and mixtures containing aggregates. The data may also be useful in developing relationships concerning porosity and packing
- Woven Wire or Perforated Plate and frame are all made of Stainless-Steel
- The sieve aperture is clearly labelled on each sieve
- Sieves having the same diameter are designed to perfectly and easily nest on each other
- The sieves are available in two diameters ( $\varnothing$  200 mm) and ( $\varnothing$  300 mm)
- Each sieve is packed separately in a carton box

## STANDARDS

ASTM E11 • ASTM E232 • ISO 3310-1 • ISO 3310-2

**SUPPLIED WITH**

- Label
- Conformity Certificate
- Box

**ORDERING INFORMATION**

| Item   | Code      |
|--|-----------|
| SIEVE SET - Concrete                             | S2XSET02Y |
| SIEVE SET - Soil                                 | S2XSET03Y |
| SIEVE SET - Asphalt                              | S2XSET01Y |
| PAN & COVER - Ø 200 mm                           | S2XXP003Y |
| COVER (Lid) - Ø 200 mm                           | S2XXP001Y |
| PAN (Receiver)- Ø 200 mm                         | S2XXP002Y |
| SIEVE (Woven Wire), Ø 200 mm , 0.045 mm (No.325) | S2W00045Y |
| SIEVE (Woven Wire), Ø 200 mm , 0.050 mm          | S2W00050Y |
| SIEVE (Woven Wire), Ø 200 mm , 0.063 mm (No.230) | S2W00063Y |
| SIEVE (Woven Wire), Ø 200 mm , 0.075 mm (No.200) | S2W00075Y |
| SIEVE (Woven Wire), Ø 200 mm , 0.080 mm          | S2W00080Y |
| SIEVE (Woven Wire), Ø 200 mm , 0.090 mm (No.170) | S2W00090Y |
| SIEVE (Woven Wire), Ø 200 mm , 0.100 mm          | S2W00100Y |
| SIEVE (Woven Wire), Ø 200 mm , 0.106 mm (No.140) | S2W00106Y |
| SIEVE (Woven Wire), Ø 200 mm , 0.125 mm (No.120) | S2W00125Y |

|  |           |
|--|-----------|
| SIEVE (Woven Wire), Ø 200 mm , 0.150 mm (No.100) | S2W00150Y |
| SIEVE (Woven Wire), Ø 200 mm , 0.160 mm          | S2W00160Y |
| SIEVE (Woven Wire), Ø 200 mm , 0.180 mm (No.80)  | S2W00180Y |
| SIEVE (Woven Wire), Ø 200 mm , 0.200 mm          | S2W00200Y |
| SIEVE (Woven Wire), Ø 200 mm , 0.212 mm (No.70)  | S2W00212Y |
| SIEVE (Woven Wire), Ø 200 mm , 0.250 mm (No.60)  | S2W00250Y |
| SIEVE (Woven Wire), Ø 200 mm , 0.300 mm (No.50)  | S2W00300Y |
| SIEVE (Woven Wire), Ø 200 mm , 0.315 mm          | S2W00315Y |
| SIEVE (Woven Wire), Ø 200 mm , 0.355 mm (No.45)  | S2W00355Y |
| SIEVE (Woven Wire), Ø 200 mm , 0.400 mm          | S2W00400Y |
| SIEVE (Woven Wire), Ø 200 mm , 0.425 mm (No.40)  | S2W00425Y |
| SIEVE (Woven Wire), Ø 200 mm , 0.500 mm (No.35)  | S2W00500Y |
| SIEVE (Woven Wire), Ø 200 mm , 0.600 mm (No.30)  | S2W00600Y |
| SIEVE (Woven Wire), Ø 200 mm , 0.630 mm          | S2W00630Y |
| SIEVE (Woven Wire), Ø 200 mm , 0.710 mm (No.25)  | S2W00710Y |
| SIEVE (Woven Wire), Ø 200 mm , 0.800 mm          | S2W00800Y |
| SIEVE (Woven Wire), Ø 200 mm , 0.850 mm (No.20)  | S2W00850Y |
| SIEVE (Woven Wire), Ø 200 mm , 1.00 mm (No.18)   | S2W01000Y |
| SIEVE (Woven Wire), Ø 200 mm , 1.18 mm (No.16)   | S2W01180Y |
| SIEVE (Woven Wire), Ø 200 mm , 1.25 mm           | S2W01250Y |
| SIEVE (Woven Wire), Ø 200 mm , 1.40 mm (No.14)   | S2W01400Y |
| SIEVE (Woven Wire), Ø 200 mm , 1.60 mm           | S2W01600Y |
| SIEVE (Woven Wire), Ø 200 mm , 1.70 mm (No.12)   | S2W01700Y |
| SIEVE (Woven Wire), Ø 200 mm , 2.00 mm (No.10)   | S2W02000Y |
| SIEVE (Woven Wire), Ø 200 mm , 2.36 mm (No.8)    | S2W02360Y |

|   |           |
|---|-----------|
| SIEVE (Woven Wire), Ø 200 mm , 2.50 mm            | S2W02500Y |
| SIEVE (Woven Wire), Ø 200 mm , 2.80 mm            | S2W02800Y |
| SIEVE (Woven Wire), Ø 200 mm , 3.15 mm            | S2W03150Y |
| SIEVE (Woven Wire), Ø 200 mm , 3.35 mm (No.6)     | S2W03350Y |
| SIEVE (Perforated), Ø 200 mm , 4.00 mm (No.5)     | S2P04000Y |
| SIEVE (Perforated), Ø 200 mm , 4.75 mm (No.4)     | S2P04750Y |
| SIEVE (Perforated), Ø 200 mm , 5.00 mm            | S2P05000Y |
| SIEVE (Perforated), Ø 200 mm , 5.60 mm (No.3 1/2) | S2P05600Y |
| SIEVE (Perforated), Ø 200 mm , 6.30 mm (1/4")     | S2P06300Y |
| SIEVE (Perforated), Ø 200 mm , 6.70 mm (.265")    | S2P06700Y |
| SIEVE (Perforated), Ø 200 mm , 7.10 mm            | S2P07100Y |
| SIEVE (Perforated), Ø 200 mm , 8.00 mm (5/16")    | S2P08000Y |
| SIEVE (Perforated), Ø 200 mm , 9.00 mm            | S2P09000Y |
| SIEVE (Perforated), Ø 200 mm , 9.50 mm (3/8")     | S2P09500Y |
| SIEVE (Perforated), Ø 200 mm , 10.00 mm           | S2P10000Y |
| SIEVE (Perforated), Ø 200 mm , 11.20 mm (7/16")   | S2P11200Y |
| SIEVE (Perforated), Ø 200 mm , 12.50 mm (1/2")    | S2P12500Y |
| SIEVE (Perforated), Ø 200 mm , 13.20 mm (.530")   | S2P13200Y |
| SIEVE (Perforated), Ø 200 mm , 14.00 mm           | S2P14000Y |
| SIEVE (Perforated), Ø 200 mm , 16.00 mm (5/8")    | S2P16000Y |
| SIEVE (Perforated), Ø 200 mm , 18.00 mm           | S2P18000Y |
| SIEVE (Perforated), Ø 200 mm , 19.00 mm (3/4")    | S2P19000Y |
| SIEVE (Perforated), Ø 200 mm , 20.00 mm           | S2P20000Y |
| SIEVE (Perforated), Ø 200 mm , 22.40 mm (7/8")    | S2P22400Y |
| SIEVE (Perforated), Ø 200 mm , 25.00 mm (1")      | S2P25000Y |

|  |           |
|--|-----------|
| SIEVE (Perforated), Ø 200 mm , 26.50 mm (1.06")  | S2P26500Y |
| SIEVE (Perforated), Ø 200 mm , 28.00 mm          | S2P28000Y |
| SIEVE (Perforated), Ø 200 mm , 31.50 mm (1 1/4") | S2P31500Y |
| SIEVE (Perforated), Ø 200 mm , 37.50 mm (1 1/2") | S2P37500Y |
| SIEVE (Perforated), Ø 200 mm , 40.00 mm          | S2P40000Y |
| SIEVE (Perforated), Ø 200 mm , 45.00 mm (1 3/4") | S2P45000Y |
| SIEVE (Perforated), Ø 200 mm , 50.00 mm (2")     | S2P50000Y |
| SIEVE (Perforated), Ø 200 mm , 53.00 mm (2.12")  | S2P53000Y |
| SIEVE (Perforated), Ø 200 mm , 56.00 mm          | S2P56000Y |
| SIEVE (Perforated), Ø 200 mm , 63.00 mm (2 1/2") | S2P63000Y |
| SIEVE (Perforated), Ø 200 mm , 75.00 mm (3")     | S2P75000Y |
| SIEVE (Perforated), Ø 200 mm , 80.00 mm          | S2P80000Y |
| SIEVE (Perforated), Ø 200 mm , 90.00 mm (3 1/2") | S2P90000Y |
| SIEVE (Perforated), Ø 200 mm , 100.00 mm         | S2P0100KY |
| SIEVE (Perforated), Ø 200 mm , 125.00 mm         | S2P0125KY |
| WET SIEVING APPARATUS - Ø 200 mm                 | S2TXP001Y |
| WASHING SIEVE , Ø 200 mm , 0.063 mm              | S2T00063Y |
| WASHING SIEVE , Ø 200 mm , 0.075 mm              | S2T00075Y |
| SIEVE SET - Concrete                             | S3XSET02Y |
| SIEVE SET - Soil                                 | S3XSET03Y |
| SIEVE SET - Asphalt                              | S3XSET01Y |
| SUPER PAVE SIEVE SET (300 mm)                    | S3XSET04Y |
| PAN & COVER - Ø 300 mm                           | S3XXP003Y |
| COVER (Lid) - Ø 300 mm                           | S3XXP001Y |
| PAN (Receiver)- Ø 300 mm                         | S3XXP002Y |

|  |           |
|--|-----------|
| SIEVE (Woven Wire), Ø 300 mm , 0.045 mm (No.325) | S3W00045Y |
| SIEVE (Woven Wire), Ø 300 mm , 0.050 mm          | S3W00050Y |
| SIEVE (Woven Wire), Ø 300 mm , 0.063 mm (No.230) | S3W00063Y |
| SIEVE (Woven Wire), Ø 300 mm , 0.075 mm (No.200) | S3W00075Y |
| SIEVE (Woven Wire), Ø 300 mm , 0.080 mm          | S3W00080Y |
| SIEVE (Woven Wire), Ø 300 mm , 0.090 mm (No.170) | S3W00090Y |
| SIEVE (Woven Wire), Ø 300 mm , 0.100 mm          | S3W00100Y |
| SIEVE (Woven Wire), Ø 300 mm , 0.106 mm (No.140) | S3W00106Y |
| SIEVE (Woven Wire), Ø 300 mm , 0.125 mm (No.120) | S3W00125Y |
| SIEVE (Woven Wire), Ø 300 mm , 0.150 mm (No.100) | S3W00150Y |
| SIEVE (Woven Wire), Ø 300 mm , 0.160 mm          | S3W00160Y |
| SIEVE (Woven Wire), Ø 300 mm , 0.180 mm (No.80)  | S3W00180Y |
| SIEVE (Woven Wire), Ø 300 mm , 0.200 mm          | S3W00200Y |
| SIEVE (Woven Wire), Ø 300 mm , 0.212 mm (No.70)  | S3W00212Y |
| SIEVE (Woven Wire), Ø 300 mm , 0.250 mm (No.60)  | S3W00250Y |
| SIEVE (Woven Wire), Ø 300 mm , 0.300 mm (No.50)  | S3W00300Y |
| SIEVE (Woven Wire), Ø 300 mm , 0.315 mm          | S3W00315Y |
| SIEVE (Woven Wire), Ø 300 mm , 0.355 mm (No.45)  | S3W00355Y |
| SIEVE (Woven Wire), Ø 300 mm , 0.400 mm          | S3W00400Y |
| SIEVE (Woven Wire), Ø 300 mm , 0.425 mm (No.40)  | S3W00425Y |
| SIEVE (Woven Wire), Ø 300 mm , 0.500 mm (No.35)  | S3W00500Y |
| SIEVE (Woven Wire), Ø 300 mm , 0.600 mm (No.30)  | S3W00600Y |
| SIEVE (Woven Wire), Ø 300 mm , 0.630 mm          | S3W00630Y |
| SIEVE (Woven Wire), Ø 300 mm , 0.710 mm (No.25)  | S3W00710Y |
| SIEVE (Woven Wire), Ø 300 mm , 0.800 mm          | S3W00800Y |

|   |           |
|---|-----------|
| SIEVE (Woven Wire), Ø 300 mm , 0.850 mm (No.20)   | S3W00850Y |
| SIEVE (Woven Wire), Ø 300 mm , 1.00 mm (No.18)    | S3W01000Y |
| SIEVE (Woven Wire), Ø 300 mm , 1.18 mm (No.16)    | S3W01180Y |
| SIEVE (Woven Wire), Ø 300 mm , 1.25 mm            | S3W01250Y |
| SIEVE (Woven Wire), Ø 300 mm , 1.40 mm (No.14)    | S3W01400Y |
| SIEVE (Woven Wire), Ø 300 mm , 1.60 mm            | S3W01600Y |
| SIEVE (Woven Wire), Ø 300 mm , 1.70 mm (No.12)    | S3W01700Y |
| SIEVE (Woven Wire), Ø 300 mm , 2.00 mm (No.10)    | S3W02000Y |
| SIEVE (Woven Wire), Ø 300 mm , 2.36 mm (No.8)     | S3W02360Y |
| SIEVE (Woven Wire), Ø 300 mm , 2.50 mm            | S3W02500Y |
| SIEVE (Woven Wire), Ø 300 mm , 2.80 mm            | S3W02800Y |
| SIEVE (Woven Wire), Ø 300 mm , 3.15 mm            | S3W03150Y |
| SIEVE (Woven Wire), Ø 300 mm , 3.35 mm (No.6)     | S3W03350Y |
| SIEVE (Perforated), Ø 300 mm , 4.00 mm (No.5)     | S3P04000Y |
| SIEVE (Perforated), Ø 300 mm , 4.75 mm (No.4)     | S3P04750Y |
| SIEVE (Perforated), Ø 300 mm , 5.00 mm            | S3P05000Y |
| SIEVE (Perforated), Ø 300 mm , 5.60 mm (No.3 1/2) | S3P05600Y |
| SIEVE (Perforated), Ø 300 mm , 6.30 mm (1/4")     | S3P06300Y |
| SIEVE (Perforated), Ø 300 mm , 6.70 mm (.265")    | S3P06700Y |
| SIEVE (Perforated), Ø 300 mm , 7.10 mm            | S3P07100Y |
| SIEVE (Perforated), Ø 300 mm , 8.00 mm (5/16")    | S3P08000Y |
| SIEVE (Perforated), Ø 300 mm , 9.00 mm            | S3P09000Y |
| SIEVE (Perforated), Ø 300 mm , 9.50 mm (3/8")     | S3P09500Y |
| SIEVE (Perforated), Ø 300 mm , 10.00 mm           | S3P10000Y |
| SIEVE (Perforated), Ø 300 mm , 11.20 mm (7/16")   | S3P11200Y |

|  |           |
|--|-----------|
| SIEVE (Perforated), Ø 300 mm , 12.50 mm (1/2")   | S3P12500Y |
| SIEVE (Perforated), Ø 300 mm , 13.20 mm (.530")  | S3P13200Y |
| SIEVE (Perforated), Ø 300 mm , 14.00 mm          | S3P14000Y |
| SIEVE (Perforated), Ø 300 mm , 16.00 mm (5/8")   | S3P16000Y |
| SIEVE (Perforated), Ø 300 mm , 18.00 mm          | S3P18000Y |
| SIEVE (Perforated), Ø 300 mm , 19.00 mm (3/4")   | S3P19000Y |
| SIEVE (Perforated), Ø 300 mm , 20.00 mm          | S3P20000Y |
| SIEVE (Perforated), Ø 300 mm , 22.40 mm (7/8")   | S3P22400Y |
| SIEVE (Perforated), Ø 300 mm , 25.00 mm (1")     | S3P25000Y |
| SIEVE (Perforated), Ø 300 mm , 26.50 mm (1.06")  | S3P26500Y |
| SIEVE (Perforated), Ø 300 mm , 28.00 mm          | S3P28000Y |
| SIEVE (Perforated), Ø 300 mm , 31.50 mm (1 1/4") | S3P31500Y |
| SIEVE (Perforated), Ø 300 mm , 37.50 mm (1 1/2") | S3P37500Y |
| SIEVE (Perforated), Ø 300 mm , 40.00 mm          | S3P40000Y |
| SIEVE (Perforated), Ø 300 mm , 45.00 mm (1 3/4") | S3P45000Y |
| SIEVE (Perforated), Ø 300 mm , 50.00 mm (2")     | S3P50000Y |
| SIEVE (Perforated), Ø 300 mm , 53.00 mm (2.12")  | S3P53000Y |
| SIEVE (Perforated), Ø 300 mm , 56.00 mm          | S3P56000Y |
| SIEVE (Perforated), Ø 300 mm , 63.00 mm (2 1/2") | S3P63000Y |
| SIEVE (Perforated), Ø 300 mm , 75.00 mm (3")     | S3P75000Y |
| SIEVE (Perforated), Ø 300 mm , 80.00 mm          | S3P80000Y |
| SIEVE (Perforated), Ø 300 mm , 90.00 mm (3 1/2") | S3P90000Y |
| SIEVE (Perforated), Ø 300 mm , 100.00 mm         | S3P0100KY |
| SIEVE (Perforated), Ø 300 mm , 125.00 mm         | S3P0125KY |
| SIEVE (Perforated), Ø 300 mm , 150.00 mm         | S3P0150KY |



|  |           |
|--|-----------|
| WET SIEVING APPARATUS - Ø 300 mm                             | S3TXP001Y |
| PAN (Receiver)- 457 mm x 660 mm                              | S6XXP002Y |
| SIEVE TRAY (Woven Wire), 457 mm x 660 mm , 0.045 mm (No.325) | S6W00045Y |
| SIEVE TRAY (Woven Wire), 457 mm x 660 mm , 0.050 mm          | S6W00050Y |
| SIEVE TRAY (Woven Wire), 457 mm x 660 mm , 0.063 mm (No.230) | S6W00063Y |
| SIEVE TRAY (Woven Wire), 457 mm x 660 mm , 0.075 mm (No.200) | S6W00075Y |
| SIEVE TRAY (Woven Wire), 457 mm x 660 mm , 0.080 mm          | S6W00080Y |
| SIEVE TRAY (Woven Wire), 457 mm x 660 mm , 0.090 mm (No.170) | S6W00090Y |
| SIEVE TRAY (Woven Wire), 457 mm x 660 mm , 0.100 mm          | S6W00100Y |
| SIEVE TRAY (Woven Wire), 457 mm x 660 mm , 0.106 mm (No.140) | S6W00106Y |
| SIEVE TRAY (Woven Wire), 457 mm x 660 mm , 0.125 mm (No.120) | S6W00125Y |
| SIEVE TRAY (Woven Wire), 457 mm x 660 mm , 0.150 mm (No.100) | S6W00150Y |
| SIEVE TRAY (Woven Wire), 457 mm x 660 mm , 0.160 mm          | S6W00160Y |
| SIEVE TRAY (Woven Wire), 457 mm x 660 mm , 0.180 mm (No.80)  | S6W00180Y |
| SIEVE TRAY (Woven Wire), 457 mm x 660 mm , 0.200 mm          | S6W00200Y |
| SIEVE TRAY (Woven Wire), 457 mm x 660 mm , 0.212 mm (No.70)  | S6W00212Y |
| SIEVE TRAY (Woven Wire), 457 mm x 660 mm , 0.250 mm (No.60)  | S6W00250Y |
| SIEVE TRAY (Woven Wire), 457 mm x 660 mm , 0.300 mm (No.50)  | S6W00300Y |
| SIEVE TRAY (Woven Wire), 457 mm x 660 mm , 0.315 mm          | S6W00315Y |
| SIEVE TRAY (Woven Wire), 457 mm x 660 mm , 0.355 mm (No.45)  | S6W00355Y |
| SIEVE TRAY (Woven Wire), 457 mm x 660 mm , 0.400 mm          | S6W00400Y |
| SIEVE TRAY (Woven Wire), 457 mm x 660 mm , 0.425 mm (No.40)  | S6W00425Y |
| SIEVE TRAY (Woven Wire), 457 mm x 660 mm , 0.500 mm (No.35)  | S6W00500Y |
| SIEVE TRAY (Woven Wire), 457 mm x 660 mm , 0.600 mm (No.30)  | S6W00600Y |
| SIEVE TRAY (Woven Wire), 457 mm x 660 mm , 0.630 mm          | S6W00630Y |

|   |           |
|---|-----------|
| SIEVE TRAY (Woven Wire), 457 mm x 660 mm , 0.710 mm (No.25)   | S6W00710Y |
| SIEVE TRAY (Woven Wire), 457 mm x 660 mm , 0.800 mm           | S6W00800Y |
| SIEVE TRAY (Woven Wire), 457 mm x 660 mm , 0.850 mm (No.20)   | S6W00850Y |
| SIEVE TRAY (Woven Wire), 457 mm x 660 mm , 1.00 mm (No.18)    | S6W01000Y |
| SIEVE TRAY (Woven Wire), 457 mm x 660 mm , 1.18 mm (No.16)    | S6W01180Y |
| SIEVE TRAY (Woven Wire), 457 mm x 660 mm , 1.25 mm            | S6W01250Y |
| SIEVE TRAY (Woven Wire), 457 mm x 660 mm , 1.40 mm (No.14)    | S6W01400Y |
| SIEVE TRAY (Woven Wire), 457 mm x 660 mm , 1.60 mm            | S6W01600Y |
| SIEVE TRAY (Woven Wire), 457 mm x 660 mm , 1.70 mm (No.12)    | S6W01700Y |
| SIEVE TRAY (Woven Wire), 457 mm x 660 mm , 2.00 mm (No.10)    | S6W02000Y |
| SIEVE TRAY (Woven Wire), 457 mm x 660 mm , 2.36 mm (No.8)     | S6W02360Y |
| SIEVE TRAY (Woven Wire), 457 mm x 660 mm , 2.50 mm            | S6W02500Y |
| SIEVE TRAY (Woven Wire), 457 mm x 660 mm , 2.80 mm            | S6W02800Y |
| SIEVE TRAY (Woven Wire), 457 mm x 660 mm , 3.15 mm            | S6W03150Y |
| SIEVE TRAY (Woven Wire), 457 mm x 660 mm , 3.35 mm (No.6)     | S6W03350Y |
| SIEVE TRAY (Perforated), 457 mm x 660 mm , 4.00 mm (No.5)     | S6P04000Y |
| SIEVE TRAY (Perforated), 457 mm x 660 mm , 4.75 mm (No.4)     | S6P04750Y |
| SIEVE TRAY (Perforated), 457 mm x 660 mm , 5.00 mm            | S6P05000Y |
| SIEVE TRAY (Perforated), 457 mm x 660 mm , 5.60 mm (No.3 1/2) | S6P05600Y |
| SIEVE TRAY (Perforated), 457 mm x 660 mm , 6.30 mm (1/4")     | S6P06300Y |
| SIEVE TRAY (Perforated), 457 mm x 660 mm , 6.70 mm (.265")    | S6P06700Y |
| SIEVE TRAY (Perforated), 457 mm x 660 mm , 7.10 mm            | S6P07100Y |
| SIEVE TRAY (Perforated), 457 mm x 660 mm , 8.00 mm (5/16")    | S6P08000Y |
| SIEVE TRAY (Perforated), 457 mm x 660 mm , 9.00 mm            | S6P09000Y |
| SIEVE TRAY (Perforated), 457 mm x 660 mm , 9.50 mm (3/8")     | S6P09500Y |

|  |           |
|--|-----------|
| SIEVE TRAY (Perforated), 457 mm x 660 mm , 10.00 mm          | S6P10000Y |
| SIEVE TRAY (Perforated), 457 mm x 660 mm , 11.20 mm (7/16")  | S6P11200Y |
| SIEVE TRAY (Perforated), 457 mm x 660 mm , 12.50 mm (1/2")   | S6P12500Y |
| SIEVE TRAY (Perforated), 457 mm x 660 mm , 13.20 mm (.530")  | S6P13200Y |
| SIEVE TRAY (Perforated), 457 mm x 660 mm , 14.00 mm          | S6P14000Y |
| SIEVE TRAY (Perforated), 457 mm x 660 mm , 16.00 mm (5/8")   | S6P16000Y |
| SIEVE TRAY (Perforated), 457 mm x 660 mm , 18.00 mm          | S6P18000Y |
| SIEVE TRAY (Perforated), 457 mm x 660 mm , 19.00 mm (3/4")   | S6P19000Y |
| SIEVE TRAY (Perforated), 457 mm x 660 mm , 20.00 mm          | S6P20000Y |
| SIEVE TRAY (Perforated), 457 mm x 660 mm , 22.40 mm (7/8")   | S6P22400Y |
| SIEVE TRAY (Perforated), 457 mm x 660 mm , 25.00 mm (1")     | S6P25000Y |
| SIEVE TRAY (Perforated), 457 mm x 660 mm , 26.50 mm (1.06")  | S6P26500Y |
| SIEVE TRAY (Perforated), 457 mm x 660 mm , 28.00 mm          | S6P28000Y |
| SIEVE TRAY (Perforated), 457 mm x 660 mm , 31.50 mm (1 1/4") | S6P31500Y |
| SIEVE TRAY (Perforated), 457 mm x 660 mm , 37.50 mm (1 1/2") | S6P37500Y |
| SIEVE TRAY (Perforated), 457 mm x 660 mm , 40.00 mm          | S6P40000Y |
| SIEVE TRAY (Perforated), 457 mm x 660 mm , 45.00 mm (1 3/4") | S6P45000Y |
| SIEVE TRAY (Perforated), 457 mm x 660 mm , 50.00 mm (2")     | S6P50000Y |
| SIEVE TRAY (Perforated), 457 mm x 660 mm , 53.00 mm (2.12")  | S6P53000Y |
| SIEVE TRAY (Perforated), 457 mm x 660 mm , 56.00 mm          | S6P56000Y |
| SIEVE TRAY (Perforated), 457 mm x 660 mm , 63.00 mm (2 1/2") | S6P63000Y |
| SIEVE TRAY (Perforated), 457 mm x 660 mm , 75.00 mm (3")     | S6P75000Y |
| SIEVE TRAY (Perforated), 457 mm x 660 mm , 80.00 mm          | S6P80000Y |
| SIEVE TRAY (Perforated), 457 mm x 660 mm , 90.00 mm (3 1/2") | S6P90000Y |